

# UGT

---

Home & Lifestyle Products

---

# BPIR DECLARATION

Woodtree Australia Pty Ltd ACN 146 305 704

as trustee for

Universal Gift Traders Australia Trust ABN 68485890219

trading as

UGT International

**December 2025**

---

**UGT International**

63 Fairchild Street Heatherton VIC 3202

+61 3 9584 4155

[ugt.com.au](http://ugt.com.au)



## BPIR DECLARATION

### TITAN EXTERNAL TIMBER SCREWS KIT

---

**DESIGNATED BUILDING PRODUCT:** Class 1

---

### DECLARATION

---

Woodtree Australia Pty Ltd (UGT International) has provided this declaration to satisfy the provisions of the Building (Building Product Information Requirements) Regulations 2022.

### COMPANY DETAILS

---

|                |   |
|----------------|---|
| <b>Name</b>    | Woodtree Australia Pty Ltd (trading as UGT International) |
| <b>Role</b>    | Supplier  |
| <b>NZBN</b>    | Not Registered  |
| <b>Address</b> | 63 Fairchild Street Heatherton Victoria Australia 3202    |
| <b>Website</b> | ugt.com.au  |
| <b>Email</b>   | hello@ugt.com.au  |

### DESCRIPTION OF BUILDING PRODUCT

---

The following products are designed for use in timber construction applications, including decking, fencing, landscaping, and general outdoor timber projects.

They are suitable for exterior use where strong holding power, corrosion resistance, and torque performance are required.

#### **TGTS350 / 0932654 – External Timber Screws Galvanised 350pc Kit with PH2 49mm bit**

Kit Contents:

- #10-12 × 25mm (Full thread)
- #10-12 × 35mm (Full thread)
- #10-12 × 40mm (Full thread)
- #10-12 × 75mm (35mm thread)

#### **TGTS425 / 0932660 – External Timber Screws Galvanised 425pc Kit with PH2 49mm bit**

Kit Contents:

- #8 (ST4.2) - 10 × 30mm (20mm thread)
- #8 (ST4.2) - 10 × 40mm (25mm thread)
- #8 (ST4.2) - 10 × 50mm (35mm thread)
- #10 (ST4.8) - 8 × 75mm (45mm thread)



## BPIR DECLARATION

### General Product Characteristics:

- Material:** C1022 carbon steel  
**Coating:** Mechanical galvanised  
**Corrosion performance:** 120h salt spray (no red rust)  
**Torque strength:** Meets and exceeds AS 3566.1 requirements  
**Point type:** Self-drilling / Type 17 / Sharp point  
**Drive:** PH2 philips recess

### Intended use:

- Exterior and interior timber fixing applications  
Decking, fencing, pergolas, retaining structures  
Suitable for hardwood, treated timber and softwood applications.

## CONTRIBUTION TO BUILDING WORK CODE OBLIGATIONS

The Titan Exterior Timber Screws comply with the following building code clauses

|  | Evidence   |
|--|--|
| <b>B1 - Structure</b>                    | The screws are manufactured from <ul style="list-style-type: none"><li>• C1022 carbon steel</li><li>• Mechanical galvanised coating</li><li>• Corrosion performance: 120h salt spray (no red rust)</li><li>• Torque strength: Meets and exceeds AS 3566.1 requirements</li></ul> |
| <b>B1.3.1</b>                            |  |
| <b>B1.3.2</b>                            |  |
| <b>B1.3.3 (a,f,h,l,j,m,q)</b>            |  |
| <b>B2 - Durability</b>                   |  |
| <b>B2.3.1 (b)</b>                        |  |
| <b>F2 - Hazardous building materials</b> |  |
| <b>F2.3.1</b>                            |  |

## FOR FURTHER INFORMATION

Titan Exterior Timber Screws must be used in accordance with all information supplied by Woodtree Australia Pty Ltd.  
For supporting information refer to [www.ugt.com.au](http://www.ugt.com.au)

## RESPONSIBLE PERSON

In accordance with Regulation 8, as the responsible person I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that the Titan Exterior Timber Screws referred to in this statement is not subject to a warning or ban under s26 of the Building Act.

Signed for and on behalf of Woodtree Australia Pty Ltd.

**Jun Jiang**  
**Head of Supply Chain**  
December 2025